

Schedule B

CCTV REQUIREMENT FOR CFA CAMPUS

SI No	Particulars of Equipment	Qty
01	CP Plus 2 MP Dome IP Camera	27
02	CP Plus 4 MP Bullet IP Cameras	1
03	CP Plus 32 ch, 4 stat NVR	1
04	CP Plus 32 CH 2 Sata NVR	2
05	Server having intel Xeon E5, 16 GB Ram , Collier Master cabinet and 128 GB SSD	1
06	40" LED Monitor	1
07	HDMI Cable	1
08	1 KVA UPS	2
09	WD 6TB HDD	3
10	5 Port Gigabit Switch	6
11	4 Port PoE	9
12	Single Port PoE	4
13	Cat 6 Cable with White conduits, casing and crimps	415
14	Cat 5 Cables with white conduits, casing and crimps	1710
15	Brackets for cameras	1
16	4 x 4 x 2 Boxes	28
17	4U Rack with 5 Amp Power Supply	6
18	Philips Surge Protector/Guard	10
19	Installation & Commissioning	1

OPTIONAL CCTV REQUIREMENT FOR CFA CAMPUS

SI No	Particulars of Equipment	Qty
01	CP Plus 4 MP Bullet IP Camera (6/8 mm)50 m IR min	3
02	4 Port PoE	1
03	Single Port PoE	1
04	Cat 6 Cables with white conduits, casing and crimps	80
05	Cat 5 Cables with White conduits, casing and crimps	230
06	Brackets for Cameras	3
07	4 x 4 x 2 Boxes	3
08	Installation & Commissioning	1